

Bibliography

Aarkrog, A. 2003. Input of Anthropogenic Radionuclides into the World Ocean. *Deep Sea Research Part II* 50: 2597-2606.

Aarkrog, A., Baxter, M.S., Bettencourt, A. O., et al. 1997. A Comparison of Doses from ^{137}Cs and ^{210}Po in Marine Food: A Major International Study, *J. Environ. Radioactivity*, Vol. 34, No. 1, pp. 69-90, 1997.

Abegglen, C.E. 1977. Sea mammals: resources and populations, pp. 493-510 in *The Environment of Amchitka Island, Alaska*. edited by Merritt, M.L and Fuller, R.G. (eds.) Washington DC: Energy Research and Development Administration.

Alaska Journal of Commerce. 2004. Seafood Commercial News.
<http://www.seafood.com/news/current/86535.html>.

AMAP (Arctic Monitoring and Assessment Programme) 2003. Radioactivity. (AMAP, Oslo, Norway) <http://amap/assess/AP2002ractivity.pdf>.

Aoyama, M. and Hirose, K. 2003. Temporal variation of ^{137}Cs water column inventory in the North Pacific since the 1960's. *J. Environ. Radioact.* 69:107-117.

A/PIA (Aleutian/ Pribilof Islands Association). (2002). Atka traditional food sampling survey. Anchorage, AK: A/PIA.

Archie, G. E., 1942. The electrical resistivity log as an aid in determining some reservoir characteristics, *Trans. Am. Inst. Min. Metall. Pet. Eng.*, 146, 54-62.

Arvela, H., Markkanen, M., and Lemmela, H. 1990. Mobile survey of environmental gamma radiation and fall-out levels in Finland after the Chernobyl accident. *Rad. Protection Dosimetry* 32:177-184.

ASTM. 1995. Standard guide for developing conceptual site models for contaminated sites. American Society for testing and materials. West Conshohocken, Pa.

Axelrod, R. 2004. Nuclear power and EU enlargement: the case of Temelin. *Environ. Polit.* 13:153-172.

Bardos, R.P., Mariotti, C., Marot, F. and Sullivan, T. 1996. Framework for decision support used in contaminated land management in Europe and North America. pp. 9-30 in *United States Environmental Protection Agency NATO challenges to modern society*. NATO/CCMS report No. 245/EPA Report 542-R-00-011.

Barnhouse, L. W. 1995. Effects of ionizing radiation on terrestrial plants and animals: a workshop report. ORNL/TM-13141. Oak Ridge, TN: Oak Ridge National Laboratory.

Baskaran, M., Hong, G. H., Dayton, S., Bodkin, J. L. and Kelley, J. J. 2003. Temporal variations of natural and anthropogenic radionuclides in sea otter skull tissue in the North Pacific Ocean. *J. Environ. Radioact.* 64:1-18.

BEST. 2004. Bering Ecosystem Study plan. Arctic Research Consortium of the United States. <http://www.arcus.org/bering/>

Bidone, E.D., Castilhos, Z.C., Santos, T.J.S., Souza, T.M.C., and Lacerda, L.D. (1997). Fish contamination and human exposure to mercury in Tartarugalzinho River, Northern Amazon, Brazil. A screening approach. *Water, Air, Soil Poll.* 97, 9-15.

Block, D., 2001. Water Resistivity Atlas of Western Canada Abstract, paper presented at Rock the Foundation Convention of Canadian Society of Petroleum Geologists, Calgary.

BNFL. 2002;2003. Monitoring our environment: Discharges and Monitoring of the Environment in the UK: Annual Report 2002. <http://www.bnfl.com/disahrgesreport2002/22.htm>.

BNFL. 2004. Discharges and Monitoring of the Environment in the UK Annual Report. <http://www.bnfl.com/dischargesreport2002/3.htm>.

Braune, B. M. 1987. Mercury accumulation in relation to size and age of Atlantic herring (*Clupea harengus harengus*) from the southwestern Bay of Fundy, Canada. *Arch. Environ. Contam. Toxicol.* 16, 311-320.

Brechignac, F. 2003. Protection of the environment: how to position radioprotection in an ecological risk assessment perspective. *Sci Total Environ.* 307:35-54.

Brodeur, R. D., Wilson, M. T., Ciannelli, L., Doyle, M., and Napp, J. M. 2002. Interannual and regional variability in distribution and ecology of juvenile pollock and their prey in frontal structures of the Bering Sea. *Deep-Sea Res II* 49:6051-6067.

Brodeur, R. D., Wilson, M. T., Walters, G. E. and Melnikov, I. V. 1999. Forage fishes in the Bering Sea: distribution, species associations, and biomass trends. Pp 509-536 in T. R. Loughlin and K. Ohtani (eds). *Dynamics of the Bering Sea*. Fairbanks, AL: Alaska Sea Grant College Program 1999.

Buesseler, K. 1997. The Isotopic Signature of Fallout Plutonium in the North Pacific. *Journal of Environmental Radioactivity*, 36:69-83.

Burger, J. 1983. Determining sex ratios from collected specimens. *Condor* 85:503.

Burger, J. 1995. Ionizing radiation, pp 524-533 in *Environmental Medicine*. (S. Brooks, M. Gochfeld, J. Herzstein, M. Schenjer, R. Jackson, eds). Mosby, St. Louis.

Burger, J. 1996. Heavy metal and selenium levels in feathers of Franklin's gulls in interior North America. *Auk* 113: 399-407.

Burger, J. 1999. Environmental monitoring on Department of Energy lands: the need for a holistic plan. *Strategic Environ. Managem.* 1:351- 367

Burger, J. 2000. Consumption advisories and compliance: the case of the fishing public and the deamplification of risk. *J. Environ. Planning and Manage.* 43:471-488.

Burger, J. 2002. Consumption patterns and why people fish. *Environ. Res.* 90:125-135.

Burger, J. and Gochfeld, M. 1995. Biomonitoring of heavy metals in the Pacific Basin using avian feathers. *Environ. Tox. Chem.* 14:1233-1239

- Burger, J. and Gochfeld, M. 1996. Ecological and human health risk assessment: a comparison. Pp. 127-148 in *Interconnections between human and ecosystem health*. (DiGuilio, R.T. and Monosson, E. (eds) Chapman and Hall, London.
- Burger, J. and Gochfeld, M. 1997a. Paradigms for ecological risk assessment. *Ann N Y Acad Sci*. 837:372-386.
- Burger, J. and Gochfeld, M. 1997b. Age differences in metals in the blood of herring (*Larus argentatus*) and Franklin's (*Larus pipixcan*) gulls. *Archives of Environmental Contamination and Toxicology* 33:436-440
- Burger, J. and Gochfeld, M. 1997c. Risk, mercury levels, and birds: relating adverse laboratory effects to field biomonitoring. *Environmental Research* 75:160-172.
- Burger, J. and Gochfeld, M. 2000a. Metals in Albatross Feathers from Midway Atoll: Influence of Species, Age, and Nest Location. *Environ Research* 82:207-221.
- Burger, J. and Gochfeld, M. 2000b. Metal levels in feathers of 12 species of seabirds from midway atoll in the northern Pacific Ocean. *Sci Total Environ*. 257:37-52.
- Burger, J. and Gochfeld, M. 2001. On developing bioindicators for human and ecological health. *Environ Monit Assess*. 66:23-46.
- Burger, J. and Gochfeld, M. 2004. Bioindicators for assessing human and ecological health. Pp 541-566 in *Environmental Monitoring* (G. B. Wiersma, ed.). Boca Raton, FL: CRC Press.
- Burger, J., Sanchez, J. and Gochfeld, M. 1998. Fishing, Consumption, and Risk Perception in fisherfolk along an East Coast Estuary. *Environmental Research*. 77:25-35.
- Burger, J., Pflugh, K.K., Lurig, L., vonHagen, L.A. and vonHagen, S. 1999a. Fishing in Urban New Jersey: Ethnicity Affects Information Sources, Perception, and Compliance. *Risk Anal*. 19:217-229.
- Burger, J., Stephens, W., Boring, C.S., Kuklinski, M., Gibbons, J.W. and Gochfeld, M. 1999. Factors in exposure assessment: Ethnic and socioeconomic differences in Fishing and Consumption of fish caught along the Savannah River. *Risk Anal*. 19:427-438.
- Burger, J., Gaines, K.F., Boring, C.S., Stephens Jr., W.L., Snodgrass, J and Gochfeld, M. 2001a. Mercury and selenium in fish from the Savannah River: species, trophic level, and location differences. *Environ. Res*. 87, 108-118.
- Burger, J., Gaines, K. F., Stephens, Jr., W.L., Boring, C. S., Brisbin Jr., I. L., Snodgrass, J., Peles, J., Bryan, L., Smith, M. H., and Gochfeld, M. 2001b. Radiocesium in Fish from the Savannah River and Steel Creek: Potential Food Chain Exposure to the Public. *Risk Anal*. 21: 545-559
- Burger, J., Shukla, T., Dixon, C., Shukla, S., McMahon, M.J., Ramos, R., Gochfeld, M. 2001c. Metals in feathers of sooty tern, white tern, gray-backed tern, and brown noddy from islands in the North Pacific. *Environ Monit Assess*. 71:71-89.
- Burger, J., Gaines, K.F., Boring, C.S., Stephens Jr., W.L., Snodgrass, C., Dixon, C., McMahon, S., Shukla, T. and Gochfeld, M. 2002a. Metal levels in fish from the Savannah River: potential hazards to fish and other receptors. *Environ. Res*. 89:85-87

- Burger, J., Boring, S., Dixon, C., Lord, C., McMahon, M., Ramos, R., Shukla, S., Jeitner, C. and Gochfeld, M. 2002b. Exposure of South Carolinians to commercial meats and fish within their meat and fish diet. *Science of Total Environment*. 287:71-81.
- Burger J, Diaz-Barriga, F., Marafanta, E., Pounds, J. and Robson, M. 2003a. Methodologies to examine the importance of host factors in bioavailability of metals. *Ecotox Environ Safety* 56:20-31.
- Burger, J., Leschine, T.M, Greenberg, M., Karr, J.R., Gochfeld M., Powers, C.W.. 2003b. Shifting priorities at the Department of Energy's bomb factories: protecting human and ecological health. *Environ Manage*. 31:157-167.
- Burger, J., Powers, C.W., Greenberg, M., Gochfeld, M. 2004. The role of risk and future land use in cleanup decisions at the Department Of Energy. *Risk Analysis* 24:1539-1549.
- Burger, J., Mayer, H.J, Greenberg, M., Powers, C.W., Volz, C.D., and Gochfeld, M. In Press-a Ecological Risk, Conceptual Site Models, and Long-term Stewardship Where Critical Risk is Off-Site: The Case of the Department of Energy's Amchitka Island Nuclear Test Site, *Journal of Toxicology and Environmental Health*.
- Burger, J, Gochfeld ,M., Kosson, D.S., Powers, C.W., Friedlander,B., Eichelberger,,J., Barnes, D., Duffy, L.K., Jewett, S.C., Volz, C.D. 2005. Science, policy, and stakeholders: developing a consensus science plan for Amchitka Island, Aleutians, Alaska. *Environ Manage*. 35:557-568.
- Caine, J. S., Evans, J.P., Forster, G.B. Fault zone architecture and permeability structure, *Geology*, 24, 1025-1028, 1996.
- Caine, J.S. and Forster, C.B., 1999, Fault zone architecture and fluid flow: Insights from field data and numerical modeling in Faults and Subsurface Fluid Flow in the Shallow Crust. (Haneburg, W.C., Mozley, P.S., Moore, J.S., and Goodwin, L.B., eds). *American Geophysical Union Monograph* 113:101-127.
- Cairns, J. Jr. 1990. The genesis of biomonitoring in aquatic ecosystems. *Environ.Profess*.12:169-176.
- Cairns, J. Jr. 1992. The threshold problem in ecotoxicology. *Ecotoxicology* 1:3-16.
- Caldwell, T.G., Bibby, H.M. and Brown, C. 2004. The magnetotelluric phase tensor, *Geophys. J. Int*, 158, 457-469.
- Carignan, V. and Villard, M. A. 2001. Selecting indicator species to monitor ecological integrity: a review. *Environ. Monit. Assess*. 78:45-61.
- Carr, W.J., and Quinlivan, W.D. 1969. Progress report on the geology of Amchitka Island, Alaska, USAEC Report USGS-474-44, U.S. Geological Survey.
- Carrigan, C.R., Heinle, R.A., Hudson, G.B., Nitao, J.J., and Zucca, J.J. 1996. Trace gas emissions on geological faults as indicators of underground nuclear testing. *Nature* 382:528-531.
- CEFAS 2003. (The Centre for Environment, Fisheries and Aquiculture Science) for the Environment Agency; Environment and Heritage Service; Food Standards Agency; and the Scottish Environment Protection Agency: Radioactivity in Food and the Environment, 2002 (RIFE-8).

CEFAS 2004. (The Centre for Environment, Fisheries and Aquiculture Science) for the Environment Agency; Environment and Heritage Service; Food Standards Agency; and the Scottish Environment Protection Agency: Radioactivity in Food and the Environment, 2003 (RIFE-9).

Chevigny, H. 1998. Russian America: The Great Alaskan Adventure 1741-1867. Binford and Mort Pub, 288p.

Classen, H.C., 1978. Hydrological processes and radionuclide distribution in a cavity and chimney produced by the Cannikin nuclear explosion, Amchitka Island, Alaska. U.S. Geological Survey, Professional Paper 712-D.

Cooper, L.W., Larsen, I.L., O'Hara, T.M., Dolvin, S., Woshner, V. and Cota, G.G. 2000. Radionuclide contaminant burdens in Arctic marine mammals harvested during subsistence hunting. *Arctic* 53:174-182.

Copplestone, D., Bielby, S., Jones, S. R., Patton, D., Daniel, P., and Gize, I. 2001. Impact assessment of ionising radiation on wildlife. R & D Publication 128, U.K. Environmental Agency.

Copplestone, D., Howard, B. J., and Brechignac, F. 2004. The ecological relevance of current approaches for environmental protection from exposure to ionising radiation. *J. Environ. Radioactivity* 74:31-41.

Crayton, W.M. 2000 Environmental contaminants in fauna collected from Amchitka Island, Alaska. U.S. Fish and Wildlife Service, Anchorage.

CRESP (Consortium for Risk Evaluation with Stakeholder Participation) 2002. Proceedings of the Amchitka Island Long-term stewardship workshop. 12-14 February 2002, Fairbanks, Alaska: CRESP/ Univ. of Alaska Fairbanks.

CRESP (Consortium for Risk Evaluation with Stakeholder Participation). 2003. Amchitka Independent Assessment Science Plan. <http://www.cresp.org>.

Crowley, K. D. and Ahearne, J. F. 2002. Managing the environmental legacy of U.S. nuclear-weapons production. *Am. Scientist* 90:514-523

Currie, L. A. 1968. Limits for Qualitative Detection and Quantitative Determination: Application to Radiochemistry. *Anal. Chem.* 40:586-593.

Dahlgard, H., Eriksson, M., Nielsen, S. P. and Joensen, H. P. 2004. Levels and trends of radioactive contaminants in the Greenland environment. *Sci Total Environ* 331:53-67.

Dasher, D., Hanson, W., Read, S., Faller, S., Farmer, D., Eford, W., Kelley, J. J. and Patrick, R. 2002. An assessment of the reported leakage of anthropogenic radionuclides from the underground nuclear test sites at Amchitka Island, Alaska, USA to the surface environment. *J. Environ. Radioactiv.* 60:165-187.

Dean, T. A., Haldorson, L., Laur, D. R., Jewett, S. C., and Blanchard, A. 2000. The distribution of nearshore fishes in kelp and eelgrass communities in Price William Sound, Alaska: associations with vegetation and physical habitat characteristics. *Environ. Bio. Fishes* 57:271-287.

DOE (Department of Energy) 1997. Surface effects of Underground Nuclear Explosions. Department of Energy Report DOE/NV/11718-122.

DOE (Department of Energy) 2002a. Screening Risk Assessment for Possible Radionuclides in the Amchitka Marine Environment. National Nuclear Security Administration and Nevada Environmental Restoration Project. U.S. Department of Energy, Las Vegas. (DOE/NV-857).

DOE (Department of Energy) 2002b. Modeling Groundwater Flow and Transport of Radionuclides at Amchitka Island's Underground Nuclear Tests: Milrow, Long Shot , and Cannikin. for U.S. Department of Energy. DOE/NV/11508-51 by Desert Research Institute, (Hassan, A., Pohlman, K. and Chapman, J. eds.).

DOE (.Department of Energy) 2003.. Guidance for developing Risk-based End, Site-specific End State Vision. Washington, D. C., Department of Energy.

DOE (Department of Energy) 2004. Shoal site risk-based end state vision. Washington, D. C., Department of Energy.

Duffy, L. K., Scofield, E., Rodgers, T., Patton, M. and Bowyer, R. T. 1999. Comparative baseline levels of mercury, Hsp 70 and Hsp 60 in subsistence fish from the Yukon-Kuskokwim delta region of Alaska. *Comp. Biochem. Physiol Part C* 124:181-186.

Egbert, G. D. and Booker, J.R. 1986. Robust estimation of geomagnetic transfer functions, *Geophysical Journal of the Royal Astronomical Society*, v. 87, p. 173-194.

Egbert, G. D. 1997. Robust multiple-station magnetotelluric data processing, *Geophysical Journal International*, 130, 475-496.

Egeland, G. M., Feyk, L. A. and Middaugh, J. P. 1998. The use of traditional foods in a healthy diet in Alaska. Juneau, AL: Alaska Division of Public Health.

EPA (Environmental Protection Agency) 1987. Data quality objectives for remedial response activities. EPA/540/G-87/003. U.S. Environmental Protection Agency, Washington, D. C.

EPA (Environmental Protection Agency) 1988a. Guidance for conducting remedial investigations and feasibility studies under CERCLA: interim final. EPA/540/G-89/004. U.S. Environmental Protection Agency, Washington, D. C.

EPA (Environmental Protection Agency) 1988b. Limiting Values of Radionuclide Intake and Air Concentration and Dose Conversion Factors for Inhalation, Submersion, and Ingestion. Federal Guidance Report No. 11. U.S. Environmental Protection Agency EPA 520/1-88-020.

EPA (Environmental Protection Agency) 1991. Conducting remedial investigations/feasibility studies for CERCLA municipal landfill sites. EPA/540/P-91/001. U.S. Environmental Protection Agency, Washington, D. C.

EPA (Environmental Protection Agency) 1992. Guidance for data useability in risk assessment (Part A): final. EPA 9285.7-09A. U.S. Environmental Protection Agency, Washington, D. C.

EPA (Environmental Protection Agency) 1994 . Guidance for the Data Quality Objectives Process, EPA QA/G4 (US Environmental Protection Agency).

EPA (Environmental Protection Agency) 1998. Guidance for conducting fish and wildlife consumption surveys. EPA 823-B-98-007. Office of Water, EPA, Washington, D.C.

EPA (Environmental Protection Agency) 2000. Guidance for Assessing Chemical Contaminant Data for Use In Fish Advisories Volume 1: Fish Sampling and Analysis - Third Edition, Office of Water, Washington, D.C. <http://www.epa.gov/ost/fishadvice/volume1/index.html>

- Estes, J.A. 1978. Sea Otter Predation and Community Organization in the Western Aleutian Islands, Alaska. *Ecology* 59:822-833.
- Fairey, R., Taberski, K, Lamerdin, S., Johnson, E., Clark, R. P., Downing, J. W., Newman, J., and Petreas, M. (1997). Organochlorines and other environmental contaminants in muscle tissue of sportfish collected from San Francisco Bay. *Mar. Pollut. Bull.*34, 1058-1071.
- FAO/WHO. 2004. codex alimentarius commission. Food and Agriculture Organization (FAO) of the United Nations and the World Health Organization (WHO). Joint FAO/WHO Food Standards Programme. www.codexalimentarius.net/web/archives/jsp.
- Faunt, C.C. 1997. Effect of faulting on ground-water movement in the Death Valley region, Nevada and California, Water Resources Investigations Report 95-4132, 42p.
- FDA. 2001. Total diet study statistics on radionuclide results, Washington, D.C: US Food and Drug Administration
- FDA. 2004. Draft Compliance Policy guide. Washington, D.C: U. S Food and Drug Administration
- Fenske, P.R. 1972a. Hydrology and radionuclide transport, Amchitka Island, Alaska. Desert Research Institute, Center for Water Resources Research, Report 45001, NVO-1253-1.
- Fenske, P.R., 1972b. Event related hydrology and radionuclide transport at the Cannikin Site, Amchitka Island, Alaska, Desert Research Institute, Center for Water Resources research, Report 45001, NVO-1253-1, 41pp, 1972
- Fisher, N.S., Fowler, S.W., Boisson, F., Carroll, J., Rissanen, K., Salbu, B., Sazykina, T.G., and Sjoebloom, K.L. 1999. Radionuclide bioconcentration factors and sediment partition coefficients in Arctic Seas Subject to contamination from dumped nuclear wastes. *Environ. Sci. Technol.*, 33, 1979-1982.
- Frechou, C. and Calmet, D. 2003. 1291 in the environment of the La Hague nuclear fuel reprocessing plant – from sea to land. *Journal of Environmental Radioactivity*. 70:43-59.
- Fuller, R.G, Kirkwood, J.B. Ecological consequences of nuclear testing. Pp. 627-650 in Merritt, M.L, Fuller, R.G.(eds). *The Environment of Amchitka Island, Alaska*. Washington DC: Energy Research and Development Administration, 1977.
- Gafvert, T., Foyn, L., Brungot, A.L, et al. 2003. Radioactivity in the Marine Environment 2000 and 2001 (RAME). Norwegian National Monitoring Programme, *StralevernRapport* 2003:8.
- Gamble, T. D., Goubau, W.M. and Clarke, J. 1979. Magnetotellurics with a remote reference, *Geophysics* 44: 53-68.
- Gard, L.M., and Hale, W.E., 1964. Technical Letter: Long Shot-1. Geology and hydrology of the Long Shot Site, Amchitka Island, Alaska. United States Department of the Interior Geological Survey.
- Garfield, B. and Cole, T., 1995. *The Thousand-Mile War*, Fairbanks, AK: Classic Reprint Series, 456p.
- Gelhar, L.W., 1982. Analysis of two-well tracer tests with a pulse input. Report RHO-BW-CR-131 P. Rockwell International, Richland, Washington.

- Giles, M.R., Indrelid, S.L. and James, D. 1998. Compaction – the great unknown in basin modeling, in Duppenbecker, S.J. and J.E. Illiffe, (Eds) Basin modeling : Practice and Progress, Geological Society, London, Special Publications, 141: 15-43.
- Gochfeld, M., Belant, J.L., Shukla, T., Benson, T. and Burger, J. 1996. Heavy metals in Laughing Gulls: gender, age and tissue differences. *Environmental Toxicology and Chemistry* 15:2275-2283.
- Gochfeld, M., Gochfeld, D.J., Minton, D., Murray, B.G. Jr., Pyle, P., Seto, N. Smith, D. and Burger, J. 1999. Metals in feathers of Bonin Petrel, Christmas Shearwater, Wedge-tailed Shearwater, and Red-tailed Tropicbird in the Hawaiian Islands, North Pacific. *Environ. Monitor. Assessm.* 59:343-358.
- Gonzalez, D. D., 1977. Hydraulic effects of underground nuclear explosions, Amchitka Island, Alaska. Ph.D. Dissertation, Colorado State University, Fort Collins, Colorado.
- Greenpeace. 1996. Nuclear Flashback: the Return to Amchitka. Greenpeace-USA.
- Gwynn, J. P., Dowdall, M. and Lind, B. 2004. The Radiological Environment of Svalbard. *StralevernRapport 2004:2*. Osteras: Norwegian Radiation Protection Authority.
- Hamrick, K. and Smith, J. 2003. Subsistence food use in Unalaska and Nikolski. Anchorage, AL: Aleutian/ Pribilof Islands Association. 9pp.
- Harwell, M. A. and Kelly, J. R. 1990. Indicators of ecosystem recovery. *Environ. Manage.* 14:527-545.
- Haschke, J.M., Allen, T. H. and Morales, L. A. 2000. Reaction of plutonium dioxide with water: formation and properties of PuO_2^+ . *Science* 287:285-287.
- Hassan, A., Pohlmann, K. and Chapman, J. 2002. Modelling groundwater flow and transport of radionuclides at Amchitka Island's Underground Nuclear tests: Milrow, Long Shot and Cannikin, report submitted to Nevada Operations Office, National Nuclear Security Administration, U.S. Department of Energy,
- Hazleton-Nuclear Science Corporation, 1964. Interim ground-water safety feasibility, project Long Shot. Earth Sciences Section Hazleton-Nuclear Science Corporation Palo Alto, California. HNSTR-1229-123.
- Health Physics Society. 1996. Performance criteria for radiobioassay. An American National Standard. New York: American National Standards Institute; ANSI/HPSN13.30-1996.
- Higley, K. A., Domotor, S. L., and Antonio, E. J. 2003a. A probabilistic approach to obtaining limiting estimates of radionuclide concentrations in biota. *J. Environ. Radio.* 66:75-87.
- Higley, K. A., Domotor, S. L., Antonio, E. J. and Kocher, D. C. 2003b. Derivation of a screening methodology for evaluating radiation dose to aquatic and terrestrial biota. *J. Environ. Radioactivity* 66:41-59.
- Hirose, K. and Aoyama, M. 2003. Analysis of ^{137}Cs and $^{239,240}\text{Pu}$ concentrations in surface waters of the Pacific Ocean. *Deep-Sea Research II*, 50:2675-2700.
- Holgye, Z., Schlesingerova, E., Tecl, J. and Filgas, R. 2004. ^{238}Pu , $^{239,240}\text{Pu}$, ^{241}Am , ^{90}Sr and ^{137}Cs in soils around Nuclear Research Centre near Prague. *J. Environ. Radioactiv.* 71:115-125.

Hong Kong Observatory 2003. Technical Report No. 22. Annual Report 2002. Environmental Radiation Monitoring in Hong Kong.

Hood, D. W. and Calder, J. A. (eds) 1981. The eastern Bering Sea shelf: oceanography and resources. Washington DC: U.S. Depts of Commerce and Interior, U.S. Bur Land Magmt, NOAA.

Hosseini, A., Brown, J., Thorrying, H. and Borretzen, P. 2005. Environmental Impact Assessments in Arctic Environments. Protection of plants and animals. StralevernRapport 2005:5. Norwegian Radiation Protection Authority. www.nrpa.no/dokumentarkiv/StralevernRapport7-03.pdf

Hunt, G. L. Jr., Stabeno, P., Walters, G., Sinclair, E., Brodeur, R. D., Napp, J. M., and Bond, N.A. 2002. Climate change and control of the southeastern Bering Sea pelagic ecosystems. Deep Sea Res. Part II. 49:5821-5853.

IAEA (International Atomic Energy Agency) 1985. Sediment KDs and concentration factors for radionuclides in the marine environment. Technical Report Series No. 247 International Atomic Energy Agency, Vienna.

IAEA (international Atomic Energy Agency). In press. Sediment KDs and Concentration Factors for Radionuclides in the Marine Environment, Technical Reports Series No. 247 Revised, International Atomic Energy Agency, Vienna.

IAEA (International Atomic Energy Agency) 1992. Effects of Ionizing radiation on Plants and Animals at Levels Implied by Current radiation Protection standards. Technical Report Series No. 332. International Atomic Energy Agency, Vienna.

ICRP (International Commission on Radiological Protection) 2003. A framework for assessing the impact of ionizing radiation on non-human species. ICRP Publication 91. Annals ICRP, 33 (3), 201-266.

ICRP (International Commission on Radiological Protection). 2005 Recommendations of the International Commission on Radiological Protection.

ICRP 2005. Recommendations of the International Commission on Radiological Protection (draft). http://www.icrp.org/docs/2005_recs_CONSULTATION_Draft1.pdf.

Isakson, J.S, Seymour, A.H. 1968. Amchitka Bioenvironmental Program: Annual Progress Report July 1, 1967-June 30, 1968. Radiometric and elemental analyses on marine organisms from Amchitka, Alaska. Columbus, Ohio: Battelle Memorial Institute. 27 pp.

Jagoe, C. H., Chesser, R. K., Smith, M. H., Lomakin, M. D., Lingenfelter, S. K. and Dallas, C. E. 1997. Levels of cesium, mercury and lead in fish, and cesium in pond sediments in an inhabited region of the Ukraine near Chernobyl. Environ. Pollut. 98:223-232.

Japan Chemical Analysis Center 2003. Radioactivity Survey Data in Japan: Environmental and Dietary Materials. Report Number 138.

Japan Chemical Analysis Center 2004. Radioactivity Survey Data in Japan: Environmental and Dietary Materials. Report Number 139.

Jensson, H., Strand, P., Tsaturov, Y. and Reiersen, L-O 2002. Arctic Monitoring and Assessment Programme (AMAP). AMAP Assessment 2002: Radioactivity in the Arctic.

- Jensson, H., Strand P., Tsaturov, Y., and Reiersen, L. 2004. AMAP Assessment 2002: Radioactivity in the Arctic. Arctic Monitoring and Assessment Programme (AMAP), Oslo, Norway.
- Jewett, S.C, Zhang, X, Naidu, A. S., Kelley, J.J., Dasher, D. and Duffy, L. K. (2003). Comparison of mercury and methylmercury in northern pike and Arctic grayling from western Alaska rivers. *Chemosphere* 50, 383-392.
- Jewett, S.C. 2002. Radionuclide contamination in nearshore habitats around Amchitka Island, Alaska. In Proceedings of the Amchitka long-term stewardship workshop, Fairbanks, AK: CRESA, Univ of Alaska, Fairbanks, AL
- Johnson, T.L. 2003. The Bering Sea and Aleutian Islands: Region of Wonder. Alaska Sea Grant-University of Alaska, Fairbanks.
- Jones, D., Domotor, S., Higley, K., Kocher, D. and Bilyard, G. 2003. Principles and issues in radiological ecological risk assessment. *J. Environ. Radioactivity* 66:19-39.
- Kenyon, K.W. 1969. The Sea Otter in the eastern Pacific Ocean. U.S. Fish and Wildlife Service North American Fauna 68. 352 pp.
- Kersting, A. B., Efurud, D. W., Finnegan, D. L., Rokop, D. J., Smith, D. K. and Thompson, J. L. 1999. Migration of plutonium in groundwater at the Nevada Test Site. *Nature* 397:56-59.
- Kirchner, G. and Dailant, O. 2002. The potential of lichens as long-term biomonitors of natural and artificial radionuclides. *Environ. Pollut.* 120:145-150.
- Kohlhoff, D.W. 1995. *When the Wind Was a River*. Seattle: Univ. Washington Press.
- Kohlhoff, D.W. 2002. *Amchitka and the Bomb: Nuclear Testing in Alaska*. Seattle: University of Washington Press.
- Kramer, K.J.M., Brockmann, U.H., and Warwick, R. M. 1994. *Tidal estuaries: manual of sampling and analytical procedures*. Rotterdam, the Netherlands: Balkema
- Laczniak, R.J., Cole, J. C., Sawyer, D. A. and Trudeau, D. A. 1996. Summary of hydrologic controls on ground-water flow at the Nevada Test Site, Nye County, Nevada, US Geological Survey Resources Investigations report 96-4109, 59 pp.
- Layton, D., Edson, R., Varela, M., and Napier, B. (eds). 1997. *Radionuclides in the Arctic Seas from the Former Soviet Union: Potential Health and Ecological Risks*, Washington, D.C: Office of Naval Research, Arctic Nuclear Waste Assessment Program.
- Lazorchak, J. M., McCormick, F. H., Henry, T. R., and Herlihy, A. T. 2003. Contamination of fish in streams of the Mid-Atlantic region: an approach to regional indicator selection and wildlife assessment. *Environ. Toxicol. Chem.* 22 545-553.
- Leednik, P.A., Palmisano, J.R. 1977. Ecology of marine algae, pp. 353-394 in *The Environment of Amchitka Island, Alaska*. Merritt, M.L. and Fuller, R.G.(eds.) Washington, D.C: Energy Research and Development Administration.
- Li, S.W and Yeung, K.C. 2004. Hong Kong Observatory Technical Report No. 23, "Summary of Environmental Monitoring in Hong Kong, 2003". Hong Kong Special Administrative Region Government.

Lopez, D.L. and Smith, L. 1995. Fluid flow in fault zones: Analysis of the interplay of convective circulation and topographically driven groundwater flow, *Water Resources Research* 31:1489-1503.

Loughlin, T.R., Ohtani, K. (eds) 1999. *Dynamics of the Bering Sea*. University of Alaska, Sea Grant, AK-SG-99-03, Fairbanks. 838 pp.

Loughlin, T.R., Sukhanova, I.N., Sinclair, E.H., Ferrero, R.C. 1999. Summary of biology and ecosystem dynamics in the Bering Sea. Pp. 387-408 in Loughlin TR, Ohtani K. (eds). *Dynamics of the Bering Sea*. Fairbanks: University of Alaska Sea Grant., 1999.

Loughlin, T.R., Ohtani, K. (eds) 1999. *Dynamics of the Bering Sea*. University of Alaska, Sea Grant, AK-SG-99-03, Fairbanks. 838 pp.

Lowe, V.P.W., 1991. Radionuclides and the Birds at Ravensglass. *Environmental Pollution*. 70:1-26.

MacFarlane, G. R., Booth, D. J. and Brown, K. R. 2000. The Semaphore crab, *Heloecius cordiformis*: bio-indication potential for heavy metals in estuarine systems. *Aquat. Toxicol.* 50:153-166.

MARINA II. 2004. Update of the MARINA PROJECT ON THE RADIOLOGICAL EXPOSURE OF THE European Community from radioactivity in North European marine waters. Annex B: Environmental Data. European Commission.
http://europa.eu.int/comm/energy/nuclear/radioprotection/doc/studies/rp132/annex_6_en.pdf.

Matishov, D.G. and Matishov, G.M. 2004. *Radioecology in Northern European Seas*, Berlin: Springer.

Mayer, H., Greenberg, M., Powers, C. W., Kosson, D., Burger, J., Gochfeld, M, Keren, R., Danis, C. and Vyas, V. 2005. Integrating mapping of geospatial data with conceptual site models to guide land use planning and risk communication. *Risk Anal.* 25:429-446.

McCartney, 1977, Prehistoric Human Occupation of the Rat Islands, pp 59-113 in Merritt, M.L. And Fuller, R.G., *The environment of Amchitka Island, Alaska*, Technical Information Center, USDOE.

McNeill, J.D. 1990. Use of Electromagnetic methods for Groundwater studies, in *Geotechnical and Environmental Geophysics Volume I*, Ward, S.H. (ed) Society of Exploration Geophysics. .

Meju, M. A. 2000. Geoelectrical investigation of old/abandoned, covered landfill sites in urban areas: model development with a genetic diagnosis approach, *Journal of Applied Geophysics*, 44, 115-150.

Merrell, T.R Jr. 1977. Fishery resources of the western Aleutians, pp. 315-330 in *The Environment of Amchitka Island, Alaska*. Merritt, M.L. and Fuller, R.G.(eds.) Washington D.C: Energy Research and Development Administration.

Merritt, M.L. 1977. Geographic setting, pp. 1-13 in *The Environment of Amchitka Island, Alaska*. Merritt, M.L., Fuller, R.G.(eds.) Washington D.C: Energy Research and Development Administration.

Merritt, M.L. and Fuller, R.G. (eds) 1977. *The Environment of Amchitka Island, Alaska*. Washington DC: Energy Research and Development Administration.

Mito, K., Nishimura, A., and Yanagimoto, T. 1999. Ecology of groundfishes in the Eastern Bering Sea, with emphasis on food habits. Pp 537-580 in T. R. Loughlin and K. Ohtani (eds). Dynamics of the Bering Sea. Fairbanks, AL: Alaska Sea Grant College Program 1999.

Monteiro, L. R. and Furness, R. W. 1995. Seabirds as monitors of mercury in the marine environment. *Water, Air, Soil Pollut.* 80: 831-870.

Moya, J. 2004. Overview of fish consumption rates in the United States. *Human Ecol. Risk Assess.* 10:1195-1211.

Munk, K. M. 2001. Maximum ages of groundfishes in waters off Alaska and British Columbia and considerations of age determination. *Alaska Fisheries Research Bulletin* 9(1):13-21.

Myers, W.A. & Lindner, M. , 1971. Precise determination of the natural abundance of ²³⁷Np and ²³⁹Pu in Katonga pitchblends. *Journal of Inorganic and Nuclear Chemistry* 33:3233-3238

NFI (National Fisheries Institute). 2005. Top ten seafoods.
<http://www.nfi.org/index.php?a=issues&b=fisheries%20management&x=193>.

Nobmann, E. D., Boyers, T., Lanier, A. P., Hankin, J. H., and Jackson, M. L. 1992. The diet of Alaskan native adults: 1987-1988. *Am. J. Clin. Nutr.* 55:1024-1032.

NCRP (National Council on Radiation Protection and Measurements) 1987. Exposure of the Population in the United States and Canada from Natural Background Radiation. Bethesda, MD: NCRP Report No. 94.

NCRP 1991. Effects of Ionizing Radiation on Aquatic Organisms. NCRP Report No. 109. Bethesda, MD: National Council on Radiation Protection and Measurements.

Norwegian Radiation Protection Authority. 2004. Radioactivity in the Marine Environment 2002: Results from the Norwegian Marine Monitoring Programme (RAME). *StralevernRapport* 2004:10.

NRC (National Research Council). 1996. Bering Sea Ecosystem. Washington, DC: National Research Council.

NRC (National Research Council). 2003. Bering Ecosystem Study. Washington, DC: National Research Council.

NRC (National Research Council). 2005. Ionizing effects of low-level radiation. BEIR VII Committee on Biological Effects of Ionizing Radiation, Washington, DC: National Academy Press.

O'Clair CE. 1977. Marine invertebrates in rocky intertidal communities, pp. 395-450 in *The Environment of Amchitka Island, Alaska*. edited by Merritt ML and Fuller RG. Washington DC: Energy Research and Development Administration.

O'Connor, J.S. and Dewling, R.T. 1986. Indices of marine degradation: their utility. *Environ. Managem.* 10:335-343.

Patrick, R. 2002. How local Alaska native communities view the Amchitka issue. In *Proceedings of the Amchitka long-term stewardship workshop*, Fairbanks, AK: CRESA Univ. of Alaska

Peakall, D. 1992. *Animal biomarkers as pollution indicators*. Chapman and Hall, London.

Peakall, D. and Burger, J. 2003. Methodologies for assessing exposure to metals: speciation, bioavailability of metals, and ecological host factors. *Ecotox Environ Safety* 56:110-121.

- Perret, W.R. and Breeding, D.R. 1972. Ground motion in the vicinity of an underground nuclear explosion in the Aleutian Islands: Milrow event. Sandia Laboratories SC-RR-71 0668.
- Perry, R.B. and Nichols, H. 1965. Bathymetry of Adak Canyon, Aleutian Arc, Alaska. Geological Society of America Bulletin, v. 76, no.3.
- Pinder, J. E. III, McLeod, K. W., Alberts, J. J. and Andriano, D. C. 1984. Uptake of Cm-244, Pu-238 and other radionuclides by trees inhabiting a contaminated floodplain. Health Physics 47:375-384.
- RAME, 2003. Radioactivity in the Marine Environment 2000 and 2001. Results from the Norwegian National Monitoring Programme (RAME). Norwegian Radiation Protection Authority. Stralevern Rapport 2003:8.
- RAME by Gafvert, T., Foyn, L., Brungot, A.L., et al. 2003. Radioactivity in the Marine Environment 2000 and 2001. Norwegian National Monitoring Programme, StralevernRapport 2003:8
- RAME, 2004. (See Norwegian Radiation Protection Authority. 2004).
- Rapport, D. J., Gaudet, C. L. and Calow, P. (eds) 1992. Evaluating and monitoring the health of large-scale ecosystems. Springer, New York.
- Rigaud, D. 2003. A Proposed Method to Determine the Decision Level for Radioactivity Measurements. Health Physics. 85:140-149.
- Robertson, J.B., 1974. Digital modeling of radioactive and chemical transport in the Snake River Plain aquifer of the National Reactor Testing Station, Idaho, U.S. Geological Survey. Open file report IDO-22054.
- Rodi, W. and Mackie, R.L. 2001, Nonlinear conjugate gradients algorithm for 2-D magnetotelluric inversions, Geophysics, 66:174-187.
- Rothschild, R.F.N. and Duffy, L. K. 2002. Preliminary study on total mercury in the common prepared subsistence foods of a rural Alaskan village. Alaska Medicine 44, 89-93.
- RP11. 2003. Radioactivity monitoring of the Irish marine environment 2000 and 2001. The Radiological Protection Institute of Ireland. RP11-03/3 (Ryan, T.P. et al).
- RP11. 2004. Environmental Radiation Marine Monitoring Programme. <http://www.rpii.ie/radiation/data/2002/start.html>.
- Rubey, W. and Hubbert, M.K. 1959. Role of fluid pressure in mechanics of overthrust faulting, II, Bulletin Geological Society America, 70: 167-206.
- Ryan, T.P., McMahon, C.A, Dowdall, A., et al. 2003. Radioactivity monitoring of the Irish marine environment 2000 and 2001. The Radiological Protection Institute of Ireland (RP11).
- Schilling, F. R., Partzsch, G.M., Brasse, H. and Schwarz, G. 1997. Partial melting below the magmatic arc in the Central Andes deduced from geoelectromagnetic fields experiments and laboratory. Physics of the Earth and Planetary Interiors, 103: 17-32. Todd, D.K., and Mays, L.W. 2005. Groundwater hydrology, John Wiley and Sons, New York.
- Seymour, A. H. and Nelson, V. A. 1977. Radionuclides in Air, Water and Biota. In: The Environment of Amchitka Island, Alaska (Merritt, M. and Fuller, R.G. (eds). Technical Information Center (publisher). Energy Research and Development Administration.

Simenstad, C.A., Isakson, J.S. and Nakatani, R.E. 1977. Marine fish communities, pp. 451-492 in *The Environment of Amchitka Island, Alaska*. Merritt, M.L and Fuller, R.G. (eds.), Washington D.C: Energy Research and Development Administration.

Simon, S. L., Bouville, A. and Beck, H. L. 2004. The geographic distribution of radionuclide deposition across the continental U.S. from atmospheric nuclear testing. *J. Environ. Radioactiv.* 74:91-105.

Simoneau, M., Lucotte, M., Garceau, S. and Laliberte, D. 2005. Fish growth rates modulate mercury concentration in walleye (*Sander vitreus*) from eastern Canadian lakes. *Environ. Res.* 98:73-82.

Smith, D. K. 1995. Characterization of nuclear explosion melt debris. *Radioch. Acta* 69:157-167.

Somerfield, P.J., Clarke, K.R. 1997. A comparison of some methods commonly used for the collection of sublittoral sediments and their associated fauna. *Mar Environ Res* 43:145-156.

SRTM (Shuttle Radar Topography Mission) 2005. <http://srtm.usgs.gov/>

SAS (Statistical Analysis System 1995. *SAS Users' Guide*, Cary, NC. Statistical Analysis System.

Steinberg, P. D., Estes, J. A. and Winter, F. C. 1995. Evolutionary consequences of food chain length in kelp forest communities. *Proc. Natl. Acad. Sci.* 92:8145-8148.

Stewart, F. M., Phillips, R.A., Catry, P. and Furness, R.W. 1997. Influence of species, age and diet on mercury concentrations in Shetland seabirds. *Marine Ecology Progress Series* 151:237-244.

Strauss, H. 2004. Sportfish consumption surveys: a risk assessment practitioner's wish list. *Human Ecol. Risk Assess.* 10:1213-1225.

Strom, D. J. 1998. False Alarms, True Alarms and Statistics: Correct Usage of Decision Level and Minimum Detectable Amount. Continuing Education Lecture, Health Physics Society.

Summers, K., Robertson, A. and Johnston, J. 1995. Monitoring the condition of estuarine shallow water habitats. *Marine and Estuarine Shallow Water Sci. and Manage. Conf.* 2:42 pp.

Suokko, K. and Reicher, D. 1993. Radioactive waste and contamination in the Former Soviet Union. *Environ. Sci. Technol.* 27:602-604.

Svadlenkova, M., Konecny, J. and Smutny, V. 1996. Model calculation of radiocesium transfer into food products in semi-natural forest ecosystems in the Czech Republic after a nuclear reactor accident and an estimate of the population dose burden. *Environ Pollut.* 92:173-184.

Taylor, D.M., 2001. Environmental Plutonium - Creation of the Universe to Twenty First Century Mankind. Vol. 1, pp 1-14. In A. Kudo (Ed.), *Plutonium in the Environment, Radioactivity in the Socioenvironment*, Amsterdam: Elsevier.

Tikhonov, A.N. and Arsenin, V. A. 1977. *Solutions of Ill-posed Problems*. Winston & Sons, Washington.

Thompson, D. R., Becker, P.H. and Furness, R.W. 1993. Long-term changes in mercury concentrations in herring gulls *Larus argentatus* and common terns *Sterna hirundo* from the German North Sea coast. *Journal Applied Ecology* 30: 316-320.

- Thompson, D. R. Furness, R. W. and Monteiro, L. R. 1998. Seabirds as biomonitors of mercury inputs to epipelagic and mesopelagic marine food chains. *Sci Total Environ.* 213:299-305.
- Tikhonov, A.N. and Arsenin, V.Y. 1979. *Methods for Solving Ill-Posed Problems*, Nauka Moscow.
- Todd, D. K., and Mays, L. W. 2005. *Groundwater hydrology*, New York: John Wiley and Sons.
- Tokranov, A. M. 1992. Features of feeding of benthic predatory fishes of the West Kamchatka Shelf. *Voprosy Ikhtiologii* 32:119-128.
- Upton, A.C. 2002. Carcinogenic effects of low-level ionizing radiation: problems and prospects. *In Vivo* 16:527-534.
- U.S. Army Corps of Engineers and U.S. Geological Survey, 1965. Project Long Shot, Amchitka Island, Alaska: Geologic and Hydrologic Investigations (Phase 1). Washington, DC: Unnumbered report.
- U.S. Fish & Wildlife Service. 2000. Contaminated military sites on wildlife refuges: Alaska region. Anchorage, AK: U.S. Fish & Wildlife Service.
- U.S. GAO/RCED. 1995. Concerns with nuclear facilities and other sources of radiation in the former Soviet Union. Report to the Honorable Bob Graham, U.S. Senate. November 1995 (US GAO-RCED-96-4). Washington D.C.
- UNSCEAR (United Nations Scientific Committee on the Effects of Atomic Radiation) 1996. *Effects of Radiation on the Environment, Annex to Sources and Effects of Ionizing Radiation (Report to the General Assembly, with one annex)*. Scientific Committee on the Effects of Atomic Radiation, New York. United Nations.
- Unsworth, M.J., Lu, X. and Watts, M.D. 2000. CSAMT exploration at Sellafield: characterization of a potential radioactive waste disposal site. *Geophysics* 65: 1070-1079.
- Unsworth, M., W. Soyer, V. Tuncer, 2005. Magnetotelluric measurements for determining the subsurface salinity and porosity structure of Amchitka Island, Alaska. Draft report, CRESPP [Appendix ?? of this report].
- US Geological Survey, 1970. Geologic and hydrologic effects of the Milrow event, Aleutian Islands, Alaska. U.S., Geological Survey Report USGS 474-71.
- US Geological Survey, 1972. Geologic and hydrologic effects of the Cannikin underground nuclear explosion, Amchitka Island, Aleutian Islands, Alaska. U.S., Geological Survey Report USGS 474-148.
- Vorhees, D. J. 2004. Introduction: defining fish consumption patterns for use in human health risk assessment. *Human Ecol. Risk Assess.* 10:965-966.
- Warwick, R. M. and Clarke, K. R. 1991. A comparison of methods for analyzing changes in benthic community structure. *J. Mar. Biol. Ass. U.K* 71,225-244.
- Wells, J. R. and Spitz, H. B. 2003. Long-term stewardship of the environmental legacy at restored sites within the Department of Energy nuclear weapons complex. *Health Physics* 85:578-584
- Wheatcraft, S.W., 1995. Sea water intrusion model of Amchitka Island, Alaska. Nevada Operations Office, U.S. Department of Energy Report DOE/NV/10845-59.

White, C.M, Williamson, F.S.L., and Emison W.B. 1977. Avifaunal investigations, pp. 227-260 in The Environment of Amchitka Island, Alaska. edited by Merritt, M.L. and Fuller, R.G.(eds.) Washington DC: Energy Research and Development Administration.

Woodhead, D.S. 2003. A possible approach for the assessment of radiation effects on populations of wild organisms in radionuclide-contaminated environments? Journal of Environmental Radioactivity. 66:181-213.